

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Adirondacks & Green Mountains	Adirondacks & Green Mountains Northeast Conifers		Low	6,285	129	23	0.87	3%	65%	4%		
		Aspen, balsam fir, black spruce, eastern hemlock, eastern white pine, northern red oak, white ash, gray birch, northern white-cedar, Norway spruce, paper birch, red pine, red spruce, Scotch pine, tamarack, white, red, jack pine, white spruce	High	8,015	137	25	1.41	5%	65%	4%		
	Adirondacks & Green Mountains Northern Hardwood		High	5,153	120	27	0.66	2%	65%	4%		
		Balsam poplar, black ash, american elm, red maple, black cherry, cherry, white ash, yellow poplar, maple, basswood, maple, beech birch group, mixed upland hardwoods, northern red oak, post oak, blackjack oak, lowland oak, upland, scarlet oak, silver maple, sugar maple, yellow birch, sugarberry, hackberry, elm, green ash, sweetbay, swamp tupelo, sycamore, pecan, white oak, red oak, hickory, willow	Low	4,225	103	23	0.54	2%	65%	4%		
Allegheny & North Cumberland Mountains	Allegheny & North Cumberland Mountains Cove Forests		High	9,046	107	28	1.73	6%	70%	4%		
		Black walnut, eastern hemlock, eastern white pine, red maple, red oak, yellow poplar, white oak	Low	5,677	105	25	1.16	4%	70%	4%		
	Allegheny & North Cumberland Mountains Mixed Hardwoods		High	5,303	89	20	1.69	8%	70%	4%		
		Black ash, American elm, red maple, black locust, cottonwood, elm, ash, birch, sycamore, sassafras, persimmon, pecan, willow	Low	2,694	69	14	1.01	6%	70%	4%		
	Allegheny & North Cumberland Mountains Mixed Pine-Hardwood		Low	1,668	69	12	1.24	9%	60%	4%		
		Eastern redcedar, eastern white pine, northern red oak, white ash, Virginia pine, southern red oak	High	3,362	80	15	1.55	9%	60%	4%		
	Allegheny & North Cumberland Mountains Northern Conifer	Aspen, balsam fir, black spruce, eastern white pine, Norway spruce, red pine, red spruce, Scotch pine	All	4,550	84	14	2.69	17%	65%	4%		
	Allegheny & North Cumberland Mountains Northern Hardwoods		Low	5,081	99	24	1.11	4%	70%	4%		
		Black cherry, white ash, yellow-poplar, hard maple, basswood, maple, beech, birch group, red maple, upland, sugar maple, yellow birch	High	7,246	107	27	0.83	3%	70%	4%		
	Allegheny & North Cumberland Mountains Oak-Hickory		High	7,446	115	31	0.63	2%	65%	4%		
		Chestnut oak, black oak, scarlet oak, northern red oak, post oak, blackjack oak, white oak, hickory	Low	4,730	104	25	0.56	2%	65%	4%		
	Allegheny & North Cumberland Mountains Pine	Table Mountain pine, Virginia pine	All	3,121	89	15	1.39	8%	75%	4%		
	Arizona-Nevada	Arizona-Nevada Mixed Conifer	Deciduous oak woodland, Douglas-fir, southwestern white pine	All	9,776	93	17	3.16	17%	65%	4%	
		Arizona-Nevada Oak Woodland	Evergreen oak woodland, sugarberry, hackberry, elm, green ash	All	457	52	4	1.24	27%	75%	4%	

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Mountains	Arizona-Nevada Pinyon / Juniper Woodland	Cottonwood, juniper, mesquite, pinyon	All	158	75	4	0.49	10%	65%	4%		
	Arizona-Nevada Ponderosa Pine	Ponderosa pine	All	6,472	89	13	1.35	9%	90%	4%		
Aroostook Hills and Lowlands	Aroostook Hills and Lowlands Conifer Bog	Black spruce, white cedar, tamarack	All	3,253	118	14	1.26	8%	80%	4%		
	Aroostook Hills and Lowlands Lowland Hardwoods	Balsam poplar, black ash, American elm, red maple, birch, sycamore, cherry, white ash, yellow poplar, basswood, sugar maple	All	588	55	7	1.16	15%	60%	4%		
			High	2,566	89	15	0.97	6%	70%	4%		
			Low	1,606	79	14	0.92	6%	70%	4%		
	Aroostook Hills and Lowlands Pine Forests	Eastern white pine, eastern hemlock, red pine	All	21,363	226	45	-	0%	65%	4%		
	Aroostook Hills and Lowlands Poplar/Birch	Aspen, gray birch, paper birch	All	2,064	90	13	1.56	11%	75%	4%		
	Aroostook Hills and Lowlands Spruce-Fir	Balsam fir, eastern hemlock, Norway spruce, red spruce, white spruce	Low	1,774	82	9	1.31	13%	70%	4%		
High			3,443	114	14	1.06	7%	70%	4%			
Atlantic Coastal Plain & Flatwoods	Atlantic Coastal Plain Loblolly-Shortleaf-Oak	Eastern red cedar, loblolly pine, oak, shortleaf pine, southern scrub oak, Virginia pine, white pine, red pine, jack pine	High	5,615	105	20	0.56	2%	70%	4%		
			Low	2,993	74	12	0.34	2%	70%	4%		
	Atlantic Coastal Plain Longleaf-Slash Pine	Longleaf pine, oak, palms, sand pine, slash pine, spruce pine, tropical hardwoods	High	3,291	77	15	0.56	3%	70%	4%		
			Low	2,819	68	12	0.56	4%	70%	4%		
	Atlantic Coastal Plain Oak-Hickory	Chestnut oak, black oak, scarlet oak, hickory, post oak, blackjack oak, white oak, red oak	High	5,461	80	21	2.66	11%	65%	4%		
			Low	3,058	72	16	1.65	9%	65%	4%		
	Atlantic Coastal Plain Riverine Hardwood	Cottonwood, willow, elm, ash, red maple, oak, river birch, sycamore, sweetgum, nuttall oak, willow oak	High	6,771	100	24	1.33	5%	70%	4%		
			Low	5,508	99	22	1.38	6%	70%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	Atlantic Coastal Plain Swamp Hardwood & Cypress	Atlantic white-cedar, bald cypress, pond cypress, water tupelo, oak, gum, overcup oak, water hickory, pond pine, red maple, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo	Low	4,720	108	21	0.89	4%	65%	4%		
			High	7,333	123	27	1.38	5%	65%	4%		
	Atlantic Coastal Plain Upland Hardwood	Sassafras, persimmon, sugarberry, hackberry, elm, green ash, sweetgum, yellow poplar, sycamore, pecan, American elm, white oak, northern red oak	High	4,000	71	16	0.96	6%	65%	4%		
			Low	1,883	62	12	0.69	5%	65%	4%		
Bitterroot Mountains	Bitterroot Fir / Spruce / Hemlock	Aspen, gray birch, paper birch, Engelmann spruce, subalpine fir, grand fir, intermountain maple, mountain hemlock, red alder, western hemlock, western red cedar, western white pine	All	11,199	99	19	3.17	15%	65%	4%		
	Bitterroot Mixed Conifer	Cottonwood, Douglas fir, ponderosa pine, western larch	All	6,935	67	13	1.69	12%	85%	4%		
	Bitterroot Subalpine Mixed Conifer	Lodgepole pine, subalpine fir, whitebark pine	All	5,244	88	11	4.10	33%	80%	4%		
Blue Mountains	Blue Mountain High Elevation Conifer	Aspen, Engelmann spruce, subalpine fir, spruce, mountain hemlock, lodgepole pine, subalpine fir, western larch, white fir, whitebark pine	All	5,671	59	13	2.39	16%	70%	4%		
	Blue Mountain Juniper / Pinyon Woodland	Cercocarpus (mountain brush), juniper, pinyon/juniper, western juniper	All	805	28	3	0.31	9%	70%	4%		
	Blue Mountain Mixed Conifer	Douglas fir, grand fir, intermountain maple, Oregon white oak, ponderosa pine, Port Orford cedar, western oak	High	6,952	68	13	1.25	8%	65%	4%		
Low			4,417	61	10	0.99	9%	65%	4%			
Blue Ridge Mountains	Blue Ridge Cove Forest	Black walnut, eastern hemlock, eastern white pine, red maple, oak, yellow poplar, white oak, northern red oak	High	13,409	132	34	1.95	5%	70%	4%		
			Low	8,765	118	28	1.82	6%	70%	4%		
	Blue Ridge Mixed Hardwoods	Black locust, elm, ash, cottonwood, red maple, river birch, sycamore, sassafras, persimmon, sweetbay, swamp tupelo, red maple, sweetgum, yellow poplar, willow	High	7,840	114	27	2.58	9%	70%	4%		
			Low	4,894	96	21	1.62	7%	70%	4%		
	Blue Ridge Northern Hardwoods	Balsam fir, black cherry, hard maple, basswood, maple, beech, birch, red maple, red spruce, balsam fir, spruce, fir, sugar maple, beech, yellow birch, sugarberry, hackberry, elm, green ash, sycamore, pecan, American elm	All	4,516	117	23	2.16	8%	65%	4%		
	Blue Ridge Oak-Hickory	Chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, post oak, blackjack oak, white oak, red oak	High	8,780	119	32	1.07	3%	60%	4%		
			Low	6,245	118	30	1.08	3%	60%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	Blue Ridge Oak-Pine	Eastern red cedar, eastern white pine, northern red oak, white ash, loblolly pine, oak, pine, pitch pine, shortleaf pine, oak, southern scrub oak, Table Mountain oak, Virginia pine, southern red oak, white/red/jack pine	High	10,969	136	29	1.93	6%	65%	4%		
			Low	7,332	115	23	1.51	6%	65%	4%		
Booneville Basin	Bonneville Basin Pinyon / Juniper Mixed Woodland	Aspen, cercocarpus (mountain brush), deciduous oak, Douglas fir, Engelmann spruce, subalpine fir, intermountain maple, juniper, pinyon, ponderosa pine, white fir	All	420	73	5	1.20	21%	65%	4%		
California Central Valley Basin	California Valley Oak Woodland	Blue oak, California black oak, California laurel, coast live oak, gray pine, pinyon, juniper, knobcone pine, pacific madrone, canyon live oak/interior live oak, western oak, blue oak, cottonwood, willow	All	1,643	55	12	0.93	7%	65%	4%		
Catskill Mountains	Catskill Mountains Northeast Conifer-Oak-Hickory	Aspen, chestnut oak, black oak, scarlet oak, eastern hemlock, eastern red cedar, eastern white pine, eastern hemlock, northern red oak, white ash, gray birch, introduced larch, Norway spruce, paper birch, red maple, oak, red pine, scotch pine, white oak, red oak, hickory, white spruce	All	6,232	131	27	2.04	7%	70%	4%		
	Catskill Mountains Northern Hardwood	Black ash, American elm, red maple, black cherry, cherry, white ash, yellow poplar, elm, ash, black locust, hard maple, basswood, maple, beech, birch, red maple, sugar maple, beech, yellow birch, willow	High	6,093	125	30	1.64	5%	65%	4%		
			Low	4,729	108	24	1.44	5%	65%	4%		
Central California Coast	Central California Coast Redwood/Douglas-fir Mixed Conifer	California laurel, Douglas fir, knobcone pine, pacific madrone, redwood, tanoak	All	43,338	248	76	10.53	13%	60%	4%		
	Central California Coast Mixed Oak Woodland	Bigleaf maple, blue oak, coast live oak, eucalyptus, gray pine, juniper, western oak	All	4,873	95	25	6.67	24%	65%	4%		
Central Great Plains	Central Great Plains Mixed Forest	ack cherry, black locust, bur oak, eastern red cedar, jack pine, ponderosa pine, Rocky Mountain juniper, scotch pine, white oak, red oak, hickory	All	1,258	55	9	1.45	15%	65%	4%		
	Central Great Plains Riparian Hardwood	Black ash, American elm, red maple, cottonwood, willow, elm, ash black locust, maple, beech, birch, silver maple, American elm, sugarberry, hackberry, elm, green ash, willow	All	4,046	101	20	2.07	9%	60%	4%		
Central Interior Broadleaf Forest Central Till Plains	Central Interior Broadleaf Forest Central Till Plains Lowland Hardwoods	Black ash, American elm, red maple, cottonwood, willow, elm, ash, oak, gum, cypress, red maple, river birch, sycamore, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, red maple, sweetgum, nuttall oak, willow oak, willow	All	7,032	109	23	3.66	14%	65%	4%		
	Central Interior Broadleaf Forest Central Till Plains Mixed Upland Hardwoods	Cherry, white ash, yellow poplar, elm, ash, black locust, sassafras, persimmon, sweetgum	High	5,359	94	21	1.55	7%	60%	4%		
			Low	2,912	74	14	1.53	10%	60%	4%		
	Central Interior Broadleaf Forest Central Till Plains Northern Hardwoods	Black cherry, hard maple, basswood, maple, beech, birch, silver maple, American elm, sugar maple, yellow birch, sugarberry, hackberry, elm, green ash, sycamore, pecan, American elm	All	6,608	96	21	1.62	7%	65%	4%		
	Central Interior Broadleaf Forest Central Till Plains Oak-Hickory	Black locust, black walnut, chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, post oak, blackjack oak, red maple, oak, southern scrub oak, white oak, red oak, hickory, yellow poplar	High	7,918	110	29	2.07	7%	65%	4%		
			Low	6,278	94	23	1.33	5%	65%	4%		
Central Interior Broadleaf Forest Central Till Plains Oak-Pine	Eastern red cedar, eastern white pine, northern red oak, white ash, oak, pine, red pine, shortleaf pine, Virginia pine	All	3,306	75	12	3.17	24%	70%	4%			

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Central Interior Broadleaf Forest Eastern Low Plateau	Central Interior Broadleaf Forest Eastern Low Plateau Cove Forest		High	8,322	111	27	1.85	6%	70%	4%		
		Red maple, oak, yellow poplar, white oak, northern red oak	Low	7,472	93	23	2.28	9%	70%	4%		
	Central Interior Broadleaf Forest Eastern Low Plateau Lowland Hardwoods	Black ash, American elm, red maple, cottonwood, willow, elm, ash, oak, gum, cypress, overcup oak, water hickory, red maple, river birch, sycamore, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, red maple, sweetgum, nuttall oak, willow oak, willow	All	6,012	95	22	2.27	9%	60%	4%		
	Central Interior Broadleaf Forest Eastern Low Plateau Mixed Upland Hardwoods		High	5,332	96	21	1.33	6%	70%	4%		
		Black locust, cherry, white ash, cherry, yellow poplar, elm, ash, black locust, sassafras, persimmon, sweetgum, yellow poplar	Low	2,941	79	17	0.66	4%	70%	4%		
	Central Interior Broadleaf Forest Eastern Low Plateau Northern Hardwoods		High	5,421	103	24	1.48	6%	65%	4%		
		Aspen, black cherry, hard maple, basswood, maple, beech, birch, silver maple, American elm, sugar maple, yellow birch, sugarberry, hackberry, elm, green ash, sycamore, pecan, American elm	Low	4,432	92	21	0.95	4%	65%	4%		
	Central Interior Broadleaf Forest Eastern Low Plateau Oak-Hickory		Low	5,983	100	27	0.57	2%	70%	4%		
		Black walnut, chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, post oak, blackjack oak, southern scrub oak, white oak, red oak	High	8,189	109	31	1.16	3%	70%	4%		
	Central Interior Broadleaf Forest Eastern Low Plateau Oak-Pine	Eastern red cedar, eastern white pine, northern red oak, white ash, loblolly pine, oak, pine, shortleaf pine, Virginia pine, southern red oak	All	2,437	82	15	0.98	6%	70%	4%		
Central Interior Broadleaf Forest Eastern Low Plateau Pine	Eastern red cedar, eastern white pine, jack pine, red pine, Virginia pine	All	1,569	79	12	0.87	7%	75%	4%			
Central Interior Broadleaf Forest Ozark Highlands	Central Interior Broadleaf Forest Ozark Highlands Lowland Hardwoods	Black ash, American elm, red maple, cottonwood, willow, elm, ash, oak, gum, cypress, red maple, river birch, sycamore, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, red maple, willow	All	4,247	79	16	1.74	10%	65%	4%		
	Central Interior Broadleaf Forest Ozark Highlands Mixed Upland Hardwoods		High	2,844	73	15	0.95	6%	65%	4%		
		Black cherry, black locust, black walnut, cherry, white ash, yellow poplar, elm, ash, black locust, hard maple, basswood, maple, beech, birch, red maple, oak, sassafras, persimmon, silver maple, American elm, sugar maple, beech, yellow birch, sugarberry, hackberry, green ash, sweetgum, sycamore, pecan	Low	2,130	67	12	1.03	8%	65%	4%		
	Central Interior Broadleaf Forest Ozark Highlands Oak-Hickory		High	4,088	90	20	0.30	1%	65%	4%		
		Chestnut oak, northern red oak, oak, hickory, white oak, red oak, hickory, yellow poplar	Low	3,435	88	18	0.43	2%	65%	4%		
	Central Interior Broadleaf Forest Ozark Highlands Oak-Pine		High	3,213	88	17	0.53	3%	65%	4%		
		Bur oak, chestnut oak, black oak, scarlet oak, eastern red cedar, eastern white pine, northern red oak, white ash, juniper, loblolly pine, post oak, blackjack oak, scarlet oak, shortleaf pine, oak, southern scrub oak	Low	1,891	85	14	0.41	3%	65%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Central Interior Broadleaf Forest Western Low Plateau	Central Interior Broadleaf Forest Western Low Plateau Cove Forest	Yellow-poplar / white oak / northern red oak	All	8,329	104	26	1.73	6%	85%	4%		
	Central Interior Broadleaf Forest Western Low Plateau Lowland Hardwoods	Black ash, American elm, red maple, cottonwood, willow, elm, ash, oak, gum, cypress, overcup oak, water hickory, red maple, river birch, sycamore, swamp chestnut oak, cherybark oak, sweetbay, swamp tupelo, red maple, sweetgum, nuttail oak, willow oak	All	5,886	97	22	2.42	10%	65%	4%		
	Central Interior Broadleaf Forest Western Low Plateau Mixed Upland Hardwoods		High	7,123	99	22	1.32	5%	70%	4%		
		Black locust, cherry, white ash, yellow poplar, elm, ash, black locust, sassafras, persimmon, sweetgum, yellow poplar	Low	2,604	65	13	1.13	8%	70%	4%		
	Central Interior Broadleaf Forest Western Low Plateau Northern Hardwoods		High	6,766	100	24	1.76	7%	65%	4%		
		Black cherry, hard maple, basswood, maple, beech, birch, red maple, silver maple, American elm, sugar maple, yellow birch, sugarberry, hackberry, elm, green ash, sycamore, pecan, American elm	Low	4,711	89	21	1.22	5%	65%	4%		
	Central Interior Broadleaf Forest Western Low Plateau Oak-Hickory		High	8,397	109	29	0.99	3%	65%	4%		
		Black walnut, chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, post oak, blackjack oak, red maple, oak, red maple, scarlet oak, southern scrub oak, white oak, red oak, hickory, yellow poplar	Low	5,966	97	25	0.77	3%	65%	4%		
Central Interior Broadleaf Forest Western Low Plateau Oak-Pine	Eastern red cedar, eastern white pine, northern red oak, white ash, loblolly pine, longleaf pine, oak, pine, pitch pine, shortleaf pine, Virginia pine, southern red oak	All	3,604	84	15	1.55	9%	60%	4%			
Central Interior Broadleaf Forest Western Low Plateau Pine	Eastern white pine, red pine, shortleaf pine	All	9,229	139	24	4.99	19%	80%	4%			
Central Maine & Fundy Coast & Ebayment	Central Maine & Fundy Coast & Ebayment Conifer Bog	Black ash, American elm, red maple, cottonwood, elm, ash, black locust, red maple, sugarberry, hackberry, green ash, sweetbay, swamp tupelo, willow	All	1,808	99	12	1.21	9%	80%	4%		
	Central Maine & Fundy Coast & Ebayment Lowland Hardwoods		All	859	76	11	1.52	12%	65%	4%		
			High	2,643	107	19	0.91	4%	65%	4%		
		Black ash, American elm, red maple, cottonwood, elm, ash, black locust, red maple, sugarberry, hackberry, green ash, sweetbay, swamp tupelo, willow	Low	2,703	105	19	0.94	4%	65%	4%		
	Central Maine & Fundy Coast & Ebayment Pine Forests		High	5,991	129	23	1.21	5%	60%	4%		
		Eastern white pine, eastern hemlock, northern red oak, white ash, pine, red maple, oak, red pine, white oak, red oak, hickory	Low	4,244	128	22	1.82	8%	60%	4%		
Central Maine & Fundy Coast & Ebayment Poplar/Birch		Low	1,004	75	11	1.07	9%	70%	4%			
	Aspen, birch, gray birch, paper birch, pin cherry	High	2,176	92	14	1.41	9%	70%	4%			

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	Central Maine & Fundy Coast & Ebayment Spruce-Fir		High	3,551	119	16	0.83	5%	70%	4%		
		Balsam fir, eastern hemlock, larch, red spruce, balsam fir, white spruce	Low	2,017	95	12	0.98	7%	70%	4%		
Central New Mexico	Central New Mexico Pinyon / Juniper Woodland	Juniper, pinyon	All	1	0	-	-	0%	75%	4%		
Chihuahuan Semi-Desert	Chihuahuan Mixed Oak Woodland	Aspen, cottonwood, Douglas-fir, Englemann spruce, ponderosa pine, sassafras, persimmon, white fir	All	62	33	2	0.41	18%	65%	4%		
	Chihuahuan Pinyon / Juniper Woodland	Juniper, pinyon pine, scrub oak	All	-	29	1	0.14	9%	75%	4%		
	Chihuahuan Pinyon / Mesquite Woodland	Mesquite woodland	All	-	12	1	0.07	8%	85%	4%		
Colorado Plateau	Colorado Plateau High Elevation Conifer	Aspen, blue spruce, Douglas-fir, Englemann spruce, limber pine, subalpine fir, white fir	All	6,769	113	16	2.27	13%	70%	4%		
	Colorado Plateau Oak Woodland	Cottonwood, oak woodland	All	929	58	6	0.90	13%	70%	4%		
	Colorado Plateau Pinyon / Juniper Woodland	Juniper, pinyon pine	All	36	84	5	0.21	4%	80%	4%		
	Colorado Plateau Ponderosa Pine	Ponderosa pine	All	6,106	69	11	1.76	14%	90%	4%		
Colorado River Canyon Lands	Colorado River Aspen	Aspen	All	4,852	79	13	3.83	27%	90%	4%		
	Colorado River Mixed Forest	Blue spruce, cottonwood, oak woodland, Douglas-fir, Englemann spruce, subalpine fir, white fir	All	1,560	60	7	1.56	21%	65%	4%		
	Colorado River Pinyon / Juniper Woodlands	Juniper, pinyon pine	All	-	80	5	0.56	10%	75%	4%		
Columbia Basin	Columbia Basin Mixed Conifer	Aspen, cottonwood, Douglas-fir, willow, grand fir, Oregon white oak, ponderosa pine, juniper, lodgepole pine, western larch, red cedar, western white pine	All	5,706	61	11	0.97	8%	65%	4%		
Cross Timbers and Prairie	Cross Timbers and Prairie Lowland Hardwood	Black ash, american elm, cottonwood, maple, beech, birch, oak, gum, cypress, water hickory, sugarberry, hackberry, green ash, sycamore, pecan, willow	All	1,374	49	8	1.72	19%	70%	4%		
	Cross Timbers and Prairie Oak / Hickory	Mesquite, oak, hickory	All	183	38	4	0.75	15%	65%	4%		
	Cross Timbers and Prairie Oak / Pine / Cedar	Black cherry, bur oak, red cedar, post oak, blackjack oak, shortleaf pine	All	118	61	6	0.43	6%	70%	4%		
	Eastern Broadleaf Forest		High	7,414	99	25	1.73	6%	65%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Eastern Broadleaf Forest Cumberland Plateau & Valley	Cumberland Plateau & Valley Cove Forest	Eastern hemlock, white pine, eastern hemlock, red maple, yellow poplar, white/red oak	Low	5,645	94	22	1.36	6%	65%	4%		
	Eastern Broadleaf Forest Cumberland Plateau & Valley Lowland Hardwoods	Cottonwood, oak, gum, cypress, red maple, birch, sycamore, sweetbay, tupelo, red maple, willow	All	4,378	71	16	5.24	30%	65%	4%		
	Eastern Broadleaf Forest Cumberland Plateau & Valley Mixed Upland Hardwoods		Low	3,012	64	14	1.13	7%	70%	4%		
			High	4,859	78	18	1.66	8%	70%	4%		
	Eastern Broadleaf Forest Cumberland Plateau & Valley Northern Hardwoods	Black cherry, basswood, maple, beech, birch, silver maple, American elm, sugar maple, hackberry, green ash, pecan	All	4,969	86	21	1.30	6%	70%	4%		
	Eastern Broadleaf Forest Cumberland Plateau & Valley Oak-Hickory		High	6,950	103	29	0.63	2%	70%	4%		
			Low	5,494	98	26	0.90	3%	70%	4%		
	Eastern Broadleaf Forest Cumberland Plateau & Valley Oak-Pine	Eastern redcedar, white pine, red oak, white ash, loblolly pine, pitch pine, shortleaf pine, Virginia pine, souther red oak	All	3,425	71	15	1.29	8%	65%	4%		
Eastern Broadleaf Forest Cumberland Plateau & Valley Pine		Low	1,927	62	10	1.35	12%	75%	4%			
		High	4,027	91	17	1.87	10%	75%	4%			
Eastern Cascades	Eastern Cascade High Elevation Conifer	Aspen, Engelmann spruce, subalpine fir, fir, spruce, mountain hemlock, lodgepole pine, noble fir, Pacific silver fir, red fir, western larch, white fir, whitebark pine	All	6,015	73	14	1.97	13%	70%	4%		
	Eastern Cascade Mixed Conifer	Cercocarpus (mountain brush), cottonwood, willow, Douglas fir, giant chinkapin, grand fir, intermountain maple, Oregon white oak, pinyon/juniper, ponderosa pine, Port Orford cedar, red alder, sugar pine, western hemlock, western juniper, western oak, western red cedar	Low	6,083	74	13	2.01	14%	65%	4%		
			High	12,254	91	21	1.69	7%	65%	4%		
Eastern Great Plains	Eastern Great Plains Mixed Woodland		High	3,624	94	19	1.53	7%	60%	4%		
			Low	1,665	67	13	1.50	10%	60%	4%		
	Eastern Great Plains Riverine Hardwoods		High	3,798	86	18	1.98	10%	60%	4%		
			Low	1,885	69	13	1.79	12%	60%	4%		
Erie & Ontario Lake Plain Aspen-Birch	Aspen, birch	All	1,969	69	12	3.19	24%	85%	4%			

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Erie & Ontario Lake Plain	Erie & Ontario Lake Plain Elm-Ash-Red Maple	Black ash, American elm, red maple, cottonwood, willow, elm, ash, red maple, river birch, sycamore, silver maple, American elm, sugarberry, hackberry, green ash, sweetbay, swamp tupelo	All	3,726	80	16	2.03	12%	70%	4%		
	Erie & Ontario Lake Plain Northeast Conifer	Eastern hemlock, eastern red cedar, eastern white pine, eastern hemlock, northern red oak, white ash, introduced larch, northern white cedar, Norway spruce, pitch pine, red pine, sassafras, persimmon, scotch pine, tamarack Virginia pine, southern red oak, white spruce	All	3,703	81	14	2.54	16%	65%	4%		
	Erie & Ontario Lake Plain Northern Hardwood		High	5,050	104	24	1.84	7%	65%	4%		
			Low	3,574	87	19	1.56	7%	65%	4%		
	Erie & Ontario Lake Plain Oak-Hickory	Black locust, black walnut, chestnut oak, black oak, scarlet oak, northern red oak, red maple, oak, white oak, red oak, hickory, yellow poplar	All	4,538	111	27	1.93	7%	70%	4%		
Florida Coastal Plains Central Highlands	Florida Coastal Plains Central Highlands Hardwood & Cypress	Bald cypress, pond cypress, water tupelo, overcup oak, water hickory, pond pine, red maple, sweetbay, swamp tupelo	All	3,946	106	19	3.38	16%	70%	4%		
	Florida Coastal Plains Central Highlands Loblolly-Shortleaf-Oak	Eastern red cedar, loblolly pine, oak, pine, southern scrub oak	All	1,918	50	10	1.25	11%	60%	4%		
	Florida Coastal Plains Central Highlands Longleaf-Slash Pine		High	1,986	94	18	2.27	11%	75%	4%		
			Low	1,196	61	10	0.98	9%	75%	4%		
	Florida Coastal Plains Central Highlands Mixed Upland Hardwood	Sassafras, persimmon, sweetgum, yellow poplar	All	3,323	75	18	1.50	7%	75%	4%		
	Florida Coastal Plains Central Highlands Oak-Hickory	Oak, hickory, post oak, blackjack oak, white oak, red oak	All	7,539	110	30	7.16	22%	75%	4%		
	Florida Coastal Plains Central Highlands Riverine Hardwood	Elm, ash, cottonwood, oak, gum, cypress, red maple, sugarberry, hackberry, green ash, sweetbay, swamp tupelo, sweetgum, nuttall oak, willow oak, willow	All	6,208	108	25	5.88	21%	65%	4%		
Florida Everglades	Florida Everglades Swamp & River Hardwood & Cypress	Bald cypress, pond cypress, water tupelo, mangrove, oak, gum, cypress, sugarberry, hackberry, green ash elm, sweetbay, swamp tupelo, red maple, sweetgum, nuttall oak, willow oak, willow	All	3,504	114	17	3.72	20%	65%	4%		
	Florida Everglades Woodland Islands	Melaleuca, oak, pine, palms, slash pine, southern scrub oak	All	1,587	91	10	1.43	13%	65%	4%		
Great Divide Basin	Great Divide Basin Woodland	Aspen, Douglas fir, Engelmann spruce, subalpine fir, juniper, pinyon, cottonwood, limber pine, lodgepole pine, ponderosa pine, sugarberry, hackberry, elm, green ash, blue spruce, deciduous oak	All	1,163	111	8	1.25	15%	65%	4%		
Great Plains	Great Plains Woodland	Cottonwood, deciduous oak, Douglas fir, juniper, pinyon, ponderosa pine, Rocky Mountain juniper, sugarberry, hackberry, elm, green ash, cottonwood, ash, eastern red cedar, sugarberry, hackberry	All	1,048	73	5	0.62	11%	60%	4%		
	Gulf Coastal Plain Cypress & Swamp Hardwood		Low	5,164	108	22	0.74	3%	65%	4%		
			High	7,150	108	25	0.91	3%	65%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Gulf Coastal Plain	Gulf Coastal Plain Loblolly-Shortleaf-Oak	Eastern red cedar, loblolly pine, shortleaf pine, oak, southern scrub oak	High	5,184	86	17	0.45	2%	65%	4%		
			Low	3,218	68	12	0.26	2%	65%	4%		
	Gulf Coastal Plain Longleaf-Slash Pine	Longleaf pine, oak, slash pine	High	4,321	76	16	0.60	3%	75%	4%		
			Low	2,245	64	11	0.39	3%	75%	4%		
	Gulf Coastal Plain Mixed Hardwoods	Oak, hickory, post oak, blackjack oak, white oak, red oak, sassafras, persimmon, sweetgum, yellow poplar	Low	2,548	66	14	0.58	4%	65%	4%		
			High	3,046	62	13	0.48	3%	65%	4%		
	Gulf Coastal Plain Riverine Hardwood	Black ash, American elm, red maple, cottonwood, willow, oak, gum, cypress, red maple, river birch, sycamore, sugarberry, hackberry, elm, green ash, pecan, American elm, willow	High	5,352	75	17	1.72	9%	70%	4%		
			Low	3,113	68	14	1.55	10%	70%	4%		
	Idaho Batholith	Idaho Batholith Douglas-fir / Ponderosa	Douglas-fir, ponderosa pine	All	10,454	87	18	3.27	16%	90%	4%	
		Idaho Batholith Lodgepole Pine	Lodgepole pine	All	5,456	54	10	4.88	43%	90%	4%	
Idaho Batholith Mixed Conifer		Cercocarpus (mountain brush), cottonwood, intermountain maple hardwood	All	4,989	42	9	4.02	43%	65%	4%		
Idaho Batholith Ponderosa Pine		Ponderosa pine, aspen, Engelmann spruce, subalpine fir, whitebark pine	All	6,644	68	11	1.43	12%	90%	4%		
Idaho Batholith Spruce / Fir		Aspen, Engelmann spruce, subalpine fir, whitebark pine	All	1,119	29	3	0.85	22%	75%	4%		
Laurentian Mixed Forest Arrowhead	Laurentian Mixed Forest Arrowhead Conifer Bog	Black spruce, northern white cedar, tamarack	All	2,194	87	10	1.04	10%	80%	4%		
	Laurentian Mixed Forest Arrowhead Lowland Hardwoods	Balsam poplar, black ash, American elm, red maple, elm, ash, black locust, cottonwood, river birch, sycamore, silver maple, willow	All	1,020	61	9	1.10	11%	60%	4%		
	Laurentian Mixed Forest Arrowhead Northern Hardwoods	Black cherry, hard maple, basswood, maple, beech, birch, red maple, sugar maple, yellow birch	All	1,676	76	14	1.99	13%	65%	4%		
	Laurentian Mixed Forest Arrowhead Oak-Hickory	Eastern white pine, northern red oak, white ash, oak, hickory, red maple, white oak, red oak	All	1,771	36	6	2.30	36%	65%	4%		
	Laurentian Mixed Forest Arrowhead Pine Forests	Eastern white pine, jack pine, red pine	All	3,851	80	11	1.80	15%	75%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	Laurentian Mixed Forest Arrowhead Poplar/Birch	Aspen, birch, paper birch, pin cherry	High	1,722	76	11	0.61	5%	75%	4%		
			Low	1,740	66	10	1.01	9%	75%	4%		
	Laurentian Mixed Forest Arrowhead Spruce-Fir	Balsam fir, spruce, fir, white spruce	All	2,299	68	8	1.21	13%	85%	4%		
Laurentian Mixed Forest Green Bay Lobe	Laurentian Mixed Forest Green Bay Lobe Conifer Bog	Black spruce, northern white cedar, tamarack	High	4,876	133	17	1.54	8%	85%	4%		
			Low	3,385	152	16	0.74	4%	85%	4%		
	Laurentian Mixed Forest Green Bay Lobe Lowland Hardwoods	Black ash, American elm, red maple, cottonwood, willow, elm, ash, river birch, sycamore, silver maple, American elm, sugarberry, hackberry, green ash	High	3,562	93	17	1.20	6%	60%	4%		
			Low	1,585	88	12	0.81	6%	60%	4%		
	Laurentian Mixed Forest Green Bay Lobe Northern Hardwoods	Cherry, white ash, yellow poplar, eastern hemlock, hard maple, basswood, maple, beech, birch, red maple, sugar maple, yellow birch	High	5,586	103	23	0.74	3%	60%	4%		
			Low	4,578	104	20	0.94	4%	60%	4%		
	Laurentian Mixed Forest Green Bay Lobe Pine-Oak-Hickory	Bur oak, eastern red cedar, eastern white pine, northern red oak, white ash, oak, hickory, pine, red maple, red pine, white oak, red oak	Low	5,286	87	17	1.60	8%	60%	4%		
			High	9,101	115	25	2.17	8%	60%	4%		
	Laurentian Mixed Forest Green Bay Lobe Poplar-Spruce-Fir	Aspen, balsam fir, Norway spruce, paper birch, white spruce	Low	1,620	74	10	0.87	8%	75%	4%		
			High	3,274	97	16	1.11	6%	75%	4%		
	Laurentian Mixed Forest MN & Ontario	Laurentian Mixed Forest Western Superior & Lake Plains Conifer Bog	Black spruce, northern white cedar, tamarack	All	1,499	74	9	0.55	6%	80%	4%	
		Laurentian Mixed Forest Western Superior & Lake Plains Lowland Hardwoods	Balsam poplar, black ash, American elm, red maple, elm, ash, black locust, cottonwood, river birch, sycamore, sugarberry, hackberry, green ash, willow	All	1,891	74	12	0.56	4%	60%	4%	
High				2,147	74	13	1.12	8%	60%	4%		
Laurentian Mixed Forest Western Superior & Lake Plains Maple-Beech-Birch		Hard maple, basswood, maple, beech, birch, sugar maple, yellow birch	All	3,116	92	18	0.73	4%	70%	4%		
Laurentian Mixed Forest Western Superior & Lake Plains Pine Forests	Eastern white pine, jackpine, red pine	All	3,590	69	11	0.84	7%	75%	4%			

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Laurentian Mixed Forest Northern Highlands	Laurentian Mixed Forest Northern Highlands Conifer Bog	Black spruce, northern white cedar, tamarack	All	1,716	75	9	0.70	7%	80%	4%		
	Laurentian Mixed Forest Northern Highlands Mixed Northern Hardwoods	Aspen, birch, balsam fir, black ash, American elm, red maple, black cherry, cherry, white ash, yellow poplar, eastern hemlock, elm, ash, black locust, cottonwood, hard maple, basswood, maple, beech, paper birch, pin cherry, river birch, sycamore, silver maple, sugar maple, yellow birch, sugarberry, hackberry, green ash, white spruce, willow	High	3,016	85	16	0.41	2%	65%	4%		
			Low	2,298	77	14	0.50	3%	65%	4%		
	Laurentian Mixed Forest Northern Highlands Mixed Pine-Oak	Bur oak, eastern white pine, eastern hemlock, jack pine, red pine, pine, scotch pine, northern red oak, white ash, oak, hickory, red maple, white oak	High	6,754	103	20	1.22	6%	65%	4%		
Low			5,274	97	20	0.88	4%	65%	4%			
Laurentian Mixed Forest Southern Superior	Laurentian Mixed Forest Southern Superior Conifer Bog	Black spruce, northern white cedar, tamarack	All	4,239	101	12	0.93	7%	80%	4%		
	Laurentian Mixed Forest Southern Superior Maple Birch-Beech	Balsam poplar, black ash, American elm, red maple, black cherry, eastern hemlock, elm, ash, black locust, cottonwood, hard maple, basswood, maple, beech, birch, red maple, river birch, sycamore, sugar maple, yellow birch, willow	High	4,734	108	23	0.63	3%	65%	4%		
			Low	4,710	110	21	0.47	2%	65%	4%		
	Laurentian Mixed Forest Southern Superior Pine-Oak-Hickory	Eastern white pine, eastern hemlock, northern red oak, white ash, jack pine, northern red oak, oak, hickory, pine, red pine, scotch pine, white oak, red oak, hickory	High	4,225	76	13	1.67	12%	65%	4%		
			Low	2,992	59	9	1.80	18%	65%	4%		
Laurentian Mixed Forest Southern Superior Poplar Spruce-Fir	Aspen, birch, balsam fir, introduced larch, paper birch, pin cherry, white spruce	High	2,380	84	12	0.95	7%	75%	4%			
Low	1,822	73	11	0.60	5%	75%	4%					
Laurentian Mixed Forest Western Superior & Lake Plains	Laurentian Mixed Forest Western Superior & Lake Plains Conifer Bog	Black spruce, northern white cedar, tamarack	All	1,594	75	9	0.55	6%	80%	4%		
	Laurentian Mixed Forest Western Superior & Lake Plains Lowland Hardwoods	Balsam poplar, black ash, American elm, red maple, cottonwood, elm, ash, black locust, cottonwood, silver maple, sugarberry, hackberry, green ash, willow	All	1,887	74	12	0.54	4%	60%	4%		
	Laurentian Mixed Forest Western Superior & Lake Plains Oak-Hickory	Bur oak, eastern white pine, northern red oak, oak, white ash, oak, hickory, pine, red maple, white oak, red oak	Low	2,923	80	16	1.02	6%	65%	4%		
			All	3,847	91	19	0.81	4%	65%	4%		
	Laurentian Mixed Forest Western Superior & Lake Plains Pine Forests	Eastern red cedar, eastern white pine, jack pine, pine, red pine, scotch pine	All	3,610	71	11	0.69	6%	75%	4%		
	Laurentian Mixed Forest Western Superior & Lake Plains Poplar/Birch	Aspen, birch, paper birch, pin cherry	All	1,744	69	11	0.34	3%	80%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	Laurentian Mixed Forest Western Superior & Lake Plains Spruce-Fir	Balsam fir, white spruce	All	1,851	65	8	0.80	9%	85%	4%		
	Laurentian Mixed Forest Western Superior & Lake Plains Maple-Beech-Birch	Black cherry, cherry, white ash, yellow poplar, hard maple, basswood, maple, beech, birch, red maple, sugar maple, yellow birch	All	3,031	90	17	0.70	4%	70%	4%		
Lower New England - Northern Appalachia	Lower New England - Northern Appalachia Mixed Hardwood		High	8,478	105	27	1.96	7%	65%	4%		
		Black ash, American elm, red maple, river birch, sycamore, sassafras, persimmon, silver maple, sugarberry, hackberry, elm, green ash, sweetbay, swamp tupelo, pecan, willow, yellow poplar, white oak, northern red oak	Low	5,977	94	22	2.08	9%	65%	4%		
	Lower New England - Northern Appalachia Northern Conifer		Low	8,199	132	26	1.10	4%	60%	4%		
		Eastern hemlock, eastern red cedar, eastern white pine, eastern hemlock, northern red oak, white ash, Norway spruce, red pine, red spruce, tamarack, white spruce	High	9,966	143	28	1.77	6%	60%	4%		
	Lower New England - Northern Appalachia Northern Hardwood		High	5,843	113	26	1.04	4%	60%	4%		
		Aspen, birch, black cherry, white ash, yellow poplar, cottonwood, elm, ash, black locust, hard maple, basswood, maple, beech, birch, paper birch, red maple, sugar maple, beech, yellow birch	Low	4,307	98	22	1.07	4%	60%	4%		
	Lower New England - Northern Appalachia Oak Hickory		High	7,379	117	32	1.01	3%	65%	4%		
		Black locust, black walnut, chestnut oak, black oak, scarlet oak, northern red oak, post oak, blackjack oak, red maple, oak, southern scrub oak, white oak, hickory	Low	5,652	107	27	0.85	3%	65%	4%		
	Lower New England - Northern Appalachia Shortleaf-Loblolly-Oak	Eastern red cedar, oak, pine, pitch pine	All	2,874	86	16	1.85	10%	60%	4%		
	Maine - New Brunswick Foothills and Lowlands	Maine - New Brunswick Foothills and Lowlands Conifer Bog	White cedar, tamarack	All	2,878	119	14	1.14	7%	80%	4%	
Maine - New Brunswick Foothills and Lowlands Lowland Hardwoods		Balsam poplar, black ash, american elm, red maple, silver maple, sweetbay, swamp tupelo, sycamore, pecan	All	900	50	7	2.10	27%	60%	4%		
Maine - New Brunswick Foothills and Lowlands Northern Hardwoods			Low	1,811	85	14	0.83	5%	70%	4%		
		Willow, black cherry, white ash, yellow poplar, basswood, beech	High	2,230	92	15	1.12	7%	70%	4%		
Maine - New Brunswick Foothills and Lowlands Pine Forests		White pine, eastern hemlock, red oak, white ash, jack pine, red oak, pitch oak, Hickory	All	5,528	141	22	2.71	11%	65%	4%		
Maine - New Brunswick Foothills and Lowlands Poplar/Birch		aspen, gray birch, paper birch	All	1,614	80	11	1.36	11%	75%	4%		
Maine - New Brunswick Foothills and Lowlands Spruce-Fir			High	3,348	112	15	0.87	5%	70%	4%		
	Balsam fir, eastern hemlock, larch, Norway spruce, red spruce, white spruce	Low	2,830	100	13	1.14	8%	70%	4%			

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Modoc Plateau	Modoc High Elevation Mixed Conifer	Western Juniper, white fir, whitebark pine	All	1,950	48	6	0.87	12%	65%	4%		
	Modoc Mixed Conifer	California black oak, California mixed conifer, incense cedar, ponderosa pine, western oak	All	5,434	69	11	1.53	12%	60%	4%		
Montana Rocky Mountains	Montana Rockies Lodgepole Pine	Lodgepole pine	All	5,894	86	14	3.79	25%	90%	4%		
	Montana Rockies Mixed Conifer	Cercocarpus (mountain brush), cottonwood, Douglas fir, ponderosa pine	High	10,275	105	19	2.20	10%	70%	4%		
			Low	3,350	67	8	0.63	7%	70%	4%		
	Montana Rockies Spruce / Fir	Aspen, Engelmann spruce, subalpine fir, juniper, limber pine, pinyon, juniper, Rocky Mountain juniper, whitebark pine	All	3,147	61	8	1.28	15%	65%	4%		
MS River Delta	MS River Delta Hardwood	Bald cypress, water tupelo, cottonwood, oak, gum, cypress, overcup oak, water hickory, river birch, sycamore, sugarberry, hackberry, elm, green ash, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, red maple, sweetgum, nuttall oak, willow oak, pecan, American elm, willow	High	7,625	94	22	1.03	4%	65%	4%		
			Low	6,462	97	21	0.98	4%	65%	4%		
	MS River Delta Woodland Islands	Loblolly pine, oak, hickory, post oak, blackjack oak, sassafras, persimmon, shortleaf pine, oak, sweetgum, yellow poplar, white oak, red oak, hickory	High	4,664	70	15	0.99	6%	65%	4%		
			Low	3,156	66	13	1.13	8%	65%	4%		
MS River Mixed Forest	MS River Mixed Forest Coastal Plain Mixed Hardwood-Pine	Black cherry, black locust, black walnut, eastern red cedar, elm, ash, hard maple, basswood, maple, beech, birch, pine, pitch pine, red maple, oak, sassafras, persimmon, shortleaf pine, silver maple, American elm, spruce pine, yellow birch, sweetgum, yellow poplar, white oak, northern red oak	High	5,144	82	19	0.85	4%	65%	4%		
			Low	2,591	65	13	0.95	7%	65%	4%		
	MS River Mixed Forest Coastal Plain Oak-Hickory	Black locust, black walnut, chestnut oak, black oak, scarlet oak, northern red oak, post oak, blackjack oak, red maple, oak, southern scrub oak, white oak, hickory	High	5,781	89	23	1.51	6%	70%	4%		
			Low	5,560	92	24	1.25	5%	70%	4%		
	MS River Mixed Forest Coastal Plain Riverine Hardwood	Black ash, American elm, red maple, cottonwood, elm, ash, oak, gum, cypress, red maple, river birch, sycamore, sugarberry, hackberry, green ash, pecan, American elm, willow	High	4,273	72	15	1.46	9%	60%	4%		
			Low	4,491	84	18	2.00	10%	60%	4%		
	MS River Mixed Forest Coastal Plain Southern Pine	Eastern red cedar, loblolly pine, longleaf pine, shortleaf pine, Virginia pine	High	5,203	100	18	0.72	4%	75%	4%		
			Low	3,183	78	13	0.60	4%	75%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	MS River Mixed Forest Coastal Plain Swamp Hardwood	Bald cypress, water tupelo, overcup oak, water hickory, red maple, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, sweetgum, nuttall oak, willow oak	Low	8,081	99	26	1.91	7%	65%	4%		
			High	9,018	96	29	2.39	8%	65%	4%		
MW Broadleaf Forest Central Till Plains	MW Broadleaf Forest Central Till Central Lowland Hardwoods	Black ash, American elm, red maple, cottonwood, willow, elm, ash, oak, gum, cypress, overcup oak, water hickory, red maple, river birch, sycamore, swamp chestnut oak, cherrybark oak, willow	All	9,369	121	28	3.54	12%	65%	4%		
	MW Broadleaf Forest Central Till Central Maple Beech-Birch	Aspen, black cherry, cherry, white ash, yellow poplar, elm, ash, black locust, hard maple, basswood, maple, beech, birch, red maple, sassafras, persimmon, silver maple, American elm, sugar maple, yellow birch, sugarberry, hackberry, green ash, sweetgum, sycamore, pecan	High	6,110	105	24	1.50	6%	65%	4%		
	MW Broadleaf Forest Central Till Central Oak-Hickory	Black locust, black walnut, bur oak, chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, red maple, oak, southern scrub oak, white oak, red oak, yellow poplar	Low	7,384	113	31	1.80	5%	65%	4%		
			High	8,786	111	30	1.81	5%	65%	4%		
	MW Broadleaf Forest Central Till Central Pine Forests	Eastern red cedar, eastern white pine, northern red oak, white ash, oak, pine, scotch pine, Virginia pine	All	1,645	56	9	2.26	24%	65%	4%		
MW Broadleaf Forest Driftless & Morainal	MW Broadleaf Forest Driftless & Morainal Lowland Hardwoods	Balsam poplar, black ash, American elm, red maple, cottonwood, elm, ash, black locust, sugarberry, hackberry, green ash	High	2,330	74	14	1.02	6%	65%	4%		
			Low	1,850	65	11	0.98	8%	65%	4%		
	MW Broadleaf Forest Driftless & Morainal Maple-Beech-Birch	Maple, beech, birch, sugar maple, yellow birch	High	3,879	85	19	0.78	4%	70%	4%		
			Low	3,132	84	16	0.90	5%	70%	4%		
	MW Broadleaf Forest Driftless & Morainal Oak-Hickory	Bur oak, oak, hickory, white oak, red oak	High	4,754	94	22	0.56	2%	65%	4%		
			Low	3,393	91	19	0.62	3%	65%	4%		
	MW Broadleaf Forest Driftless & Morainal Pine Forests	Jack pine	High	6,303	95	16	2.04	12%	70%	4%		
			Low	2,323	52	8	1.22	14%	70%	4%		
	MW Broadleaf Forest Driftless & Morainal Poplar/Birch	Aspen, birch	High	2,178	76	14	1.22	8%	80%	4%		
			Low	1,553	75	12	0.77	6%	80%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	MW Broadleaf Forest Driftless & Morainal Spruce-Fir	Black spruce, northern white cedar, tamarack, white spruce	All	2,663	79	12	2.73	21%	75%	4%		
MW Broadleaf Forest Great Lakes Morainal & Sands	MW Broadleaf Forest Great Lakes Morainal & Sands Conifer Bog	Black spruce, northern white cedar, tamarack, black ash, American elm, red maple	All	2,169	73	9	1.91	19%	80%	4%		
	MW Broadleaf Forest Great Lakes Morainal & Sands Lowland Hardwoods	Cottonwood, willow, elm, ash, black locust, river birch, sycamore, silver maple, American elm, sugarberry, hackberry, green ash, willow	Low	2,772	83	15	1.69	11%	65%	4%		
			High	2,731	70	14	1.43	9%	65%	4%		
	MW Broadleaf Forest Great Lakes Morainal & Sands Maple-Beech-Birch	Balsam fir, black cherry, black walnut, cherry, white ash, yellow poplar, hard maple, basswood, maple, beech, birch, Norway spruce, red maple, sugar maple, yellow birch, white spruce	All	3,961	80	17	1.49	8%	70%	4%		
	MW Broadleaf Forest Great Lakes Morainal & Sands Oak-Hickory	Black locust, bur oak, chestnut oak, black oak, scarlet oak, eastern red cedar, eastern white pine, northern red oak, oak, post oak, blackjack oak, red maple, white oak, hickory	High	6,137	104	25	1.72	6%	65%	4%		
			Low	5,012	94	21	0.90	4%	65%	4%		
	MW Broadleaf Forest Great Lakes Morainal & Sands Pine Forests	Eastern red cedar, eastern white pine, jack pine, pine, red pine, scotch pine	High	6,695	107	17	0.94	5%	70%	4%		
			Low	2,082	65	9	0.76	7%	70%	4%		
MW Broadleaf Forest Great Lakes Morainal & Sands Poplar/Birch	Aspen, paper birch	All	1,481	57	10	1.34	12%	85%	4%			
MW Broadleaf Forest SC Great Lakes & Lake Whittlesey	MW Broadleaf Forest SC Great Lakes & Lake Whittlesey Conifer Forest	Eastern red cedar, eastern white pine, jack pine, northern white cedar, red pine, scotch pine, white spruce	All	6,036	110	18	1.57	8%	65%	4%		
	MW Broadleaf Forest SC Great Lakes & Lake Whittlesey Lowland Hardwoods	Balsam poplar, black ash, American elm, red maple, cottonwood, willow, elm, ash, black locust, river birch, sycamore, sugarberry, hackberry, green ash, pecan	High	5,582	100	23	1.09	4%	65%	4%		
			Low	3,714	80	16	1.00	6%	65%	4%		
	MW Broadleaf Forest SC Great Lakes & Lake Whittlesey Maple-Birch-Beech	Black cherry, cherry, white ash, yellow poplar, hard maple, basswood, maple, beech, birch, red maple, sassafras, persimmon, silver maple, American elm, sugar maple, yellow birch	Low	3,913	89	19	1.02	5%	65%	4%		
			High	7,312	111	27	1.23	4%	65%	4%		
	MW Broadleaf Forest SC Great Lakes & Lake Whittlesey Oak-Hickory	Black locust, black walnut, bur oak, chestnut oak, black oak, scarlet oak, eastern white pine, northern red oak, white ash, oak, hickory, pine, red maple, white oak, red oak	High	6,970	108	27	0.97	3%	65%	4%		
			Low	5,458	100	23	1.06	4%	65%	4%		
	MW Broadleaf Forest SC Great Lakes & Lake Whittlesey Poplar/Birch	Aspen, birch, paper birch	All	2,236	74	13	1.33	9%	80%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Nevada Mountains	Nevada Mountains Pinyon/ Juniper Mixed Woodlands	Aspen, cercocarpus (mountain brush) Douglas fir, Engelmann spruce, subalpine fir, fixtail pine, bristlecone pine, juniper, limber pine, pinyon, Rocky Mountain juniper, white fir	All	1,121	63	5	1.79	34%	70%	4%		
North Central Great Plains	North Central Great Plains Aspen	Aspen	All	1,234	81	11	1.60	14%	90%	4%		
	North Central Great Plains Oak Woodland	Black cherry, bur oak, oak, hickory, red maple, white oak, red oak, hickory	All	1,471	80	13	1.39	9%	60%	4%		
	North Central Great Plains Riparian Hardwood	Balsam poplar, black ash, American elm, red maple, cottonwood, willow, elm, ash, black locust, sugarberry, hackberry, green ash	All	4,182	78	15	2.88	17%	60%	4%		
Northern Allegheny Plateau	Northern Allegheny Plateau Aspen-Birch	Aspen, birch, paper birch	All	1,677	63	12	1.80	14%	80%	4%		
	Northern Allegheny Plateau Northern Conifer	Black spruce, Douglas fir, eastern hemlock, introduced larch, northern white cedar, tamarack, Norway spruce, red pine, red spruce, scotch pine, white spruce	All	6,976	128	24	2.05	8%	70%	4%		
	Northern Allegheny Plateau Northern Hardwood	Black ash, American elm, red maple, black cherry, cherry, white ash, yellow poplar, cottonwood, elm, ash, black locust, hard maple, basswood, maple, beech, birch, red maple, river birch, sycamore, silver maple, American elm, sugar maple, beech, yellow birch, sugarberry, hackberry, green ash, pecan, willow	High	5,556	111	27	0.83	3%	65%	4%		
			Low	4,865	100	24	0.79	3%	65%	4%		
	Northern Allegheny Plateau Oak-Hickory	Black locust, black walnut, chestnut oak, black oak, scarlet oak, northern red oak, post oak, blackjack oak, oak, red maple, southern scrub oak, white oak, red oak, hickory, yellow poplar, northern red oak	High	5,643	111	29	1.45	5%	65%	4%		
			Low	4,738	108	26	1.05	4%	65%	4%		
Northern Allegheny Plateau Pine-Hardwood	Eastern red cedar, eastern white pine, eastern hemlock, northern red oak, white ash, pine, pitch pine, sassafras, persimmon	All	6,650	126	24	2.10	8%	65%	4%			
Northern Atlantic Coastal Plain	Northern Atlantic Coastal Plain Mixed Hardwood	Black cherry, black locust, black walnut, cherry, white ash, yellow poplar, maple, beech, birch, red maple, oak, sassafras, persimmon, sugar maple, yellow birch, sugarberry, hackberry, elm, green ash, sweetgum, sycamore, pecan, American elm, white oak, northern red oak	High	7,751	108	25	1.41	5%	65%	4%		
			Low	6,331	102	23	1.45	6%	65%	4%		
	Northern Atlantic Coastal Plain Oak-Hickory	Eastern red cedar, loblolly pine, oak, pine, shortleaf pine, southern scrub oak, Virginia pine, southern red oak, white pine, red pine, jack pine	All	8,621	114	32	1.57	4%	65%	4%		
	Northern Atlantic Coastal Plain Oak-Pine	Eastern red cedar, loblolly pine, oak, pine, shortleaf pine, southern scrub oak, Virginia pine, southern red oak, white pine, red pine, jack pine	High	5,865	95	20	1.78	8%	65%	4%		
			Low	4,198	89	17	1.34	7%	65%	4%		
	Northern Atlantic Coastal Plain Riverine Hardwood	Cottonwood, willow, elm, ash, red maple, river birch, sycamore, silver maple, American elm, sweetgum, nuttall oak, willow oak	All	5,971	98	21	2.48	11%	70%	4%		
Northern Atlantic Coastal			Low	3,386	93	15	1.15	7%	70%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
	Plain Southern Pine	Loblolly pine, longleaf pine, shortleaf pine, slash pine	High	7,551	117	23	0.90	4%	70%	4%		
	Northern Atlantic Coastal Plain Swamp Hardwood & Cypress	Atlantic white cedar, bald cypress, pond cypress, water tupelo, black ash, American elm, red maple, oak, gum, overcup oak, water hickory, pond pine, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo	High	8,268	121	28	2.37	8%	60%	4%		
Northern California Coast	Coast Redwood/Douglas-fir Mixed Conifer		High	27,742	201	51	3.21	6%	60%	4%		
		Bishop pine, California laurel, Douglas fir, western hemlock, giant chinkapin, knobcone pine, Pacific madrone, red alder, redwood, Sitka spruce, tanoak, white fir	Low	16,266	176	45	2.89	6%	60%	4%		
	Northern California Coast Mixed Oak Woodland	Bigleaf maple, blue oak, California black oak, California live oak, cottonwood, willow, pinyon, juniper, western oak	All	3,065	96	29	3.01	9%	65%	4%		
Northern Great Plains	Northern Great Plains Hardwoods	Black ash, American elm, red maple, cottonwood, elm, ash, black locust, maple, beech, birch	All	3,660	59	9	1.68	18%	60%	4%		
	Northern Great Plains Ponderosa Pine	Aspen, bur oak, juniper, oak, hickory, ponderosa pine, red maple, Rocky Mountain juniper, sugarberry, hackberry, elm, ash, green ash, white oak, red oak, hickory	All	1,660	46	5	0.60	11%	65%	4%		
Northern Rocky Mountains	Northern Rockies Mixed Conifer		Low	2,216	51	7	1.09	15%	65%	4%		
		Cottonwood, willow, Douglas fir, ponderosa pine, Rocky Mountain juniper, western larch	High	6,473	78	14	1.69	11%	65%	4%		
	Northern Rockies Spruce / Fir	Aspen, Engelmann spruce, subalpine fir, grand fir, paper birch, western hemlock, western red cedar	All	3,651	56	8	1.25	13%	70%	4%		
	Northern Rockies Subalpine Mixed Conifer	Lodgepole pine, mountain hemlock, subalpine fir, western white pine, whitebark pine	All	3,397	74	10	2.13	18%	75%	4%		
Northwest Cascades	Northwest Cascade High Elevation Conifer	Engelmann spruce, lodgepole pine, mountain hemlock, noble fir, red fir, subalpine fir, white fir, whitebark pine	All	8,804	105	20	2.73	13%	65%	4%		
	Northwest Cascade Mixed Conifer		Low	12,605	103	25	2.36	9%	70%	4%		
		Bigleaf maple, cottonwood, willow, Douglas fir, grand fir, intermountain maple, pinyon, juniper, ponderosa pine, red alder, western hemlock, western red cedar	High	17,266	121	32	1.84	5%	70%	4%		
Northwestern Basin and Range	Northwest Basin and Range Mixed Conifer	Aspen, California black oak, cercocarpus (mountain brush), juniper, pinyon, ponderosa pine, western juniper, whitebark pine	All	1,203	31	3	1.19	31%	65%	4%		
Okanogan Highland	Okanogan Douglas-fir Mixed Conifer		High	11,526	99	22	2.14	9%	70%	4%		
		Cottonwood, willow, Douglas fir, grand fir, red alder, western hemlock, western larch, western red cedar, western white pine	Low	7,843	75	17	1.08	6%	70%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Okanogan highland	Okanogan Ponderosa	Ponderosa pine	All	7,659	63	13	1.26	9%	90%	4%		
	Okanogan Subalpine Mixed Conifer	Aspen, birch, Engelmann spruce, subalpine fir, fir, spruce, mountain hemlock, intermountain maple, lodgepole pine, mountain hemlock, paper birch	All	6,853	83	17	2.83	15%	65%	4%		
Oregon and Washington Coast	Northwest Coast Range Forest	Alaska yellow cedar, bigleaf maple, California laurel, cottonwood, willow, Douglas fir, fir, spruce, mountain hemlock, giant chinkapin, grand fir, intermountain maple, lodgepole pine, mountain hemlock, noble fir, Oregon white oak, Pacific madrone, Pacific silver fir, pinyon, juniper, Port Orford cedar, red alder, redwood, Sitka spruce, subalpine fir, tanoak, western hemlock, western oak, western red cedar, western white pine, willow	High	21,493	139	39	1.99	5%	60%	4%		
			Low	11,814	101	24	1.52	6%	60%	4%		
Ouachita Mixed Forests	Ouachita Mixed Forest-Meadow Ouachita Mountains Loblolly-Shortleaf		High	4,853	89	15	1.24	7%	85%	4%		
		Loblolly pine, shortleaf pine	Low	4,409	87	14	1.04	7%	85%	4%		
	Ouachita Mixed Forest-Meadow Ouachita Mountains Lowland Hardwoods	Bald cypress, water tupelo, cottonwood, oak, gum, cypress, river birch, sycamore, sugarberry, hackberry, elm, green ash, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, red maple, sweetgum, nuttall oak, willow oak, pecan, American elm	All	6,821	103	24	4.54	17%	60%	4%		
	Ouachita Mixed Forest-Meadow Ouachita Mountains Mixed Upland Hardwoods		All	2,408	65	13	1.76	13%	65%	4%		
			All	2,984	77	16	1.35	7%	75%	4%		
		red maple, oak, saasafas, persimmon, sweetgum, yellow poplar	All	2,399	63	12	1.26	10%	60%	4%		
Ozark Broadleaf Forest-Meadow Boston Mountains	Ozark Broadleaf Forest-Meadow Boston Mountains Loblolly-Shortleaf	Loblolly pine, shortleaf pine	All	6,181	115	21	2.63	11%	90%	4%		
	Ozark Broadleaf Forest-Meadow Boston Mountains Lowland Hardwoods		All	3,515	81	17	2.88	15%	65%	4%		
		Hard maple, basswood, oak, gum, cypress, overcup oak, water hickory, river birch, sycamore, silver maple, American elm, sugarberry, hackberry, elm, green ash, sweetbay, swamp tupelo, red maple, sweetgum, nuttall oak, willow oak, pecan	All	1,834	64	12	2.57	19%	65%	4%		
	Ozark Broadleaf Forest-Meadow Boston Mountains Oak-Hickory		Low	3,186	93	20	0.68	3%	75%	4%		
		Northern red oak, oak, hickory, white oak, red oak	High	3,554	85	20	1.15	5%	75%	4%		
	Ozark Broadleaf Forest-Meadow Boston Mountains Oak-Pine	Eastern red cedar, loblolly pine, eastern red cedar, post oak, blackjack oak, shortleaf pine, oak, southern scrub oak, Virginia pine	All	2,229	84	15	1.02	6%	60%	4%		
Prairie Parkland Central Till Plains & Grand Prairies Lowland Hardwoods		Black ash, American elm, red maple, cottonwood, willow, elm, ash, oak, gum, cypress, river birch, sycamore, willow	All	7,382	100	21	2.10	9%	65%	4%		
			High	5,974	104	22	1.73	7%	70%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Prairie Parkland Central Till Plains & Grand Prairies	Prairies Maple-Beech-Birch	Aspen, black cherry, hard maple, basswood, maple, beech, birch, silver maple, American elm, sugar maple, yellow birch, sugarberry, hackberry, elm, green ash, sycamore, pecan, American elm	Low	4,602	92	19	1.19	6%	70%	4%		
	Prairie Parkland Central Till Plains & Grand Prairies Mixed Upland Hardwoods		Low	1,350	64	12	0.73	5%	65%	4%		
		Black locust, black walnut, cherry, white ash, yellow poplar, elm, ash, red maple, sassafras, persimmon	High	2,732	79	17	0.65	4%	65%	4%		
	Prairie Parkland Central Till Plains & Grand Prairies Oak-Hickory			High	5,734	98	23	0.89	3%	60%	4%	
		Chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, red maple, southern scrub oak, white oak, red oak	Low	4,926	90	21	0.56	2%	60%	4%		
	Prairie Parkland Central Till Plains & Grand Prairies Oak-Pine			High	2,471	66	14	1.69	11%	60%	4%	
Bur oak, eastern red cedar, eastern white pine, pine, post oak, blackjack oak, red pine, scarlet oak, scotch pine		Low	2,117	65	13	1.54	11%	60%	4%			
Prairie Parkland North Central Plains	Prairie Parkland North Central Plains Lowland Hardwoods	Black ash, American elm, red maple, black cherry, cottonwood, willow, elm, ash, sugarberry, hackberry, green ash, sycamore, pecan, American elm, tamarack	All	2,716	97	19	2.22	11%	60%	4%		
	Prairie Parkland North Central Plains Maple-Beech-Birch	Aspen, hard maple, basswood, maple, beech, birch, silver maple, American elm, sugar maple, yellow birch	All	3,973	128	25	1.75	6%	70%	4%		
	Prairie Parkland North Central Plains Mixed Upland Hardwoods	Black walnut, elm, ash, black locust, red maple	All	3,005	91	18	2.22	11%	60%	4%		
	Prairie Parkland North Central Plains Oak-Hickory	Bur oak, eastern red cedar, eastern white pine, northern red oak, oak, hickory, red pine, white oak, red oak	All	4,085	102	20	1.75	8%	65%	4%		
	Prairie Parkland North Central Plains Oak-Pine	Oak, pine	All	-	8	1	0.50	37%	90%	4%		
Prairie Parkland Red River Valley	Prairie Parkland Red River Valley Lowland Hardwoods	Balsam poplar, black ash, American elm, red maple, black cherry, cottonwood, willow, elm, ash, black locust, sugarberry, hackberry, green ash, willow	All	2,775	83	15	2.48	15%	65%	4%		
	Prairie Parkland Red River Valley Maple-Beech-Birch	Aspen, hard maple, basswood, maple, beech, birch, red maple, sugar maple, yellow birch, white spruce	All	525	76	11	2.39	19%	60%	4%		
	Prairie Parkland Red River Valley Oak-Hickory	Bur oak, jack pine, oak, hickory, white oak, red oak	All	5,704	106	22	3.95	17%	75%	4%		
Puget Trough	Puget Trough Mixed Conifer		High	20,260	129	33	2.92	8%	65%	4%		
		Aspen, birch, bigleaf maple, cottonwood, willow, Douglas fir, fir, spruce, mountain hemlock, lodgepole pine, Oregon ash, Oregon white oak, Pacific madrone, Pacific silver fir, paper birch, red alder, Sitka spruce, western hemlock, western oak, western red cedar	Low	20,246	136	33	4.08	11%	65%	4%		
	SE Middle Mixed Forest Arkansas Valley Cypress & Swamp Hardwood	Overcup oak, water hickory, red maple, swamp chestnut oak, cherybark oak, sweetbay, swamp tupelo, red maple, sweetgum, nuttail oak, willow oak	All	5,522	84	20	2.82	13%	70%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
SE Middle Mixed Forest Arkansas Valley	SE Middle Mixed Forest Arkansas Valley Loblolly-Shortleaf	Loblolly pine, shortleaf pine	All	3,452	88	14	1.27	8%	85%	4%		
	SE Middle Mixed Forest Arkansas Valley Oak-Hickory	Northern red oak, oak, hickory, southern scrub oak, white oak, red oak	All	3,660	85	19	1.40	7%	75%	4%		
	SE Middle Mixed Forest Arkansas Valley Oak-Pine	Eastern red cedar, loblolly pine, post oak, blackjack oak, shortleaf pine, oak	High	3,340	81	16	1.53	9%	70%	4%		
			Low	1,421	71	12	0.99	7%	70%	4%		
	SE Middle Mixed Forest Arkansas Valley Riverine Hardwood	Cottonwood, willow, oak, gum, cypress, river birch, sycamore, silver maple, American elm, sugarberry, hackberry, elm, green ash, pecan	All	1,819	58	11	2.66	22%	60%	4%		
	SE Middle Mixed Forest Arkansas Valley Upland Hardwood	Black locust, black walnut, sassafras, persimmon, sweetgum, yellow poplar	All	2,018	52	10	1.85	17%	60%	4%		
SE Middle Mixed Forest Cumberland Plateau & Valley	SE Middle Mixed Forest Cumberland Plateau & Valley Loblolly-Shortleaf-Oak	Eastern red cedar, eastern white pine, northern red oak, white ash, loblolly pine, longleaf pine, oak, pine, shortleaf pine, Virginia pine, southern red oak	Low	2,627	79	13	0.72	5%	65%	4%		
			High	4,998	98	19	0.80	4%	65%	4%		
	SE Middle Mixed Forest Cumberland Plateau & Valley Lowland Hardwood	Bald cypress, water tupelo, elm, ash, cottonwood, hard maple, basswood, oak, gum, cypress, red maple, river birch, sycamore, sugar maple, beech, sugarberry, hackberry, elm, green ash, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, sweetgum, nuttall oak, willow oak, pecan, American elm, willow	All	7,021	96	25	2.57	10%	65%	4%		
	SE Middle Mixed Forest Cumberland Plateau & Valley Oak-Hickory	Chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, post oak, blackjack oak, scarlet oak, white oak, red oak, black locust	High	6,686	95	26	1.89	7%	70%	4%		
			Low	5,183	95	25	0.73	3%	70%	4%		
	SE Middle Mixed Forest Cumberland Plateau & Valley Upland Hardwood	Black locust, eastern hemlock, eastern whitepine, sassafras, persimmon, sweetgum, yellow poplar, white oak, northern red oak	High	4,493	75	17	1.32	7%	65%	4%		
Low	2,829	66	14	1.23	8%	65%	4%					
SE Middle Mixed Forest Piedmont	SE Middle Mixed Forest Piedmont Cypress & Swamp Hardwood	Bald cypress, water tupelo, overcup oak, water hickory, sweetbay, swamp tupelo, red maple	High	7,919	121	29	2.48	8%	70%	4%		
			Low	5,327	108	24	2.66	10%	70%	4%		
	SE Middle Mixed Forest Piedmont Loblolly-Shortleaf-Oak	Eastern red cedar, eastern white pine, northern red oak, white ash, loblolly pine, longleaf pine, oak, pine, pitch pine, shortleaf pine, Table Mountain pine, Virginia pine, southern red oak, white pine, red pine, jack pine	High	5,397	99	19	0.30	1%	70%	4%		
			Low	2,800	83	14	0.32	2%	70%	4%		
SE Middle Mixed Forest		Low	6,350	102	27	0.52	2%	65%	4%			

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Forest Piedmont	Piedmont Oak-Hickory	Chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, post oak, blackjack oak, scarlet oak, white oak, red oak, hickory	High	7,357	100	28	1.03	3%	65%	4%		
	SE Middle Mixed Forest Piedmont Riverine Hardwood	Elm, ash, cottonwood, oak, gum, cypress, red maple, river birch, sycamore, swamp chestnut oak, cherrybark oak, sweetgum, nuttall oak, willow oak, willow	High	9,064	103	29	1.92	6%	60%	4%		
			Low	6,176	95	23	1.12	5%	60%	4%		
	SE Middle Mixed Forest Piedmont Upland Hardwood	Aspen, black locust, black walnut, eastern hemlock, eastern white pine, eastern hemlock, red maple, oak, sassafras, persimmon, sugarberry, hackberry, elm, green ash, sweetgum, yellow poplar, sycamore, pecan, American elm, white oak, northern red oak	High	5,626	87	20	0.55	2%	60%	4%		
Low			4,167	78	17	0.50	3%	60%	4%			
SE Middle Mixed Forest Western Mid Coastal Plains	SE Middle Mixed Forest Western Mid Coastal Plains Cypress & Swamp Hardwood	Bald cypress, water tupelo, overcup oak, water hickory, red maple, swamp chestnut oak, cherrybark oak, sweetbay, swamp tupelo, sweetgum, nuttall oak, willow oak	High	8,124	98	25	1.33	5%	70%	4%		
			Low	6,097	87	21	1.43	6%	70%	4%		
	SE Middle Mixed Forest Western Mid Coastal Plains Loblolly-Shortleaf	Loblolly pine, longleaf pine, shortleaf pine, slash pine	High	8,018	96	20	0.81	4%	85%	4%		
			Low	4,894	80	14	0.42	3%	85%	4%		
	SE Middle Mixed Forest Western Mid Coastal Plains Oak-Hickory	Chestnut oak, black oak, scarlet oak, northern red oak, oak, hickory, white oak, red oak	High	4,529	66	17	1.94	11%	70%	4%		
			Low	4,529	72	18	1.99	10%	70%	4%		
	SE Middle Mixed Forest Western Mid Coastal Plains Oak-Pine	Bur oak, eastern red cedar, loblolly pine, longleaf pine, oak, post oak, black jack oak, shortleaf pine, slash pine, southern scrub oak	High	5,674	77	17	0.90	5%	65%	4%		
			Low	3,592	76	15	0.97	6%	65%	4%		
	SE Middle Mixed Forest Western Mid Coastal Plains Riverine Hardwood	Cottonwood, oak, gum, cypress, river birch, sycamore, silver maple, American elm, sugarberry, hackberry, elm, green ash, pecan, willow	High	4,170	73	15	1.90	12%	60%	4%		
			Low	2,366	70	13	1.70	12%	60%	4%		
	SE Middle Mixed Forest Western Mid Coastal Plains Upland Hardwood	Black locust, red maple, oak, sassafras, persimmon, sweetgum, yellow poplar, white oak, northern red oak	Low	2,477	56	11	0.96	8%	65%	4%		
			High	2,932	57	12	0.85	6%	65%	4%		
	Sierra High Elevation Conifer	Aspen, fir, spruce, mountain hemlock, foxtail pine, bristleccone pine, timber pine, lodgepole pine, red fir, western white pine, white fir, whitebark pine	All	17,411	158	34	4.25	11%	60%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Sierra Nevada	Sierra Mixed Conifer	California mixed conifer, Douglas fir, giant sequoia, Jeffrey pine, Pacific madrone, red alder, tanoak	High	22,651	156	40	4.06	9%	70%	4%		
			Low	15,107	129	28	2.65	8%	70%	4%		
	Sierra Mixed Oak Woodland	Bigleaf maple, blue oak, California black oak, California laurel, California live oak, cottonwood, willow, gray pine, knobcone pine, western oak	All	4,601	91	21	3.26	14%	65%	4%		
	Sierra Pinyon / Juniper Woodland	Cercocarpus (mountain brush), juniper, pinyon	All	234	65	3	1.60	47%	65%	4%		
			All	2,889	89	10	2.59	24%	75%	4%		
Sierra Nevada Foothills	Sierra Foothill Mixed Oak Woodland	Blue oak, California black oak, California laurel, California mixed conifer, cercocarpus (mountain brush), cottonwood, willow, gray pine, juniper, pinyon, ponderosa pine, western oak	All	1,376	40	9	0.66	7%	65%	4%		
Snake River Basin	Snake River Basin Mixed Woodland	Aspen, cercocarpus (mountain brush) Douglas fir, Engelmann spruce, subalpine fir, intermountain maple, juniper, lodgepole pine, pinyon, western juniper, cottonwood	All	454	58	4	0.63	15%	65%	4%		
Southern Allegheny Plateau	Southern Allegheny Plateau Lowland Hardwoods	Black ash, American elm, red maple, cottonwood, willow, overcup oak, water hickory, red maple, river birch, sycamore, sugarberry, hackberry, elm, green ash, sweetbay, swamp tupelo, red maple, pecan, American elm	All	4,245	76	16	1.64	9%	60%	4%		
	Southern Allegheny Plateau Mixed Pine-Hardwoods	Eastern red cedar, eastern white pine, eastern hemlock, northern red oak, white ash, jack pine, loblolly pine, pine, pitch pine, shortleaf pine, oak, Virginia pine, southern red oak	All	4,489	99	20	1.67	8%	65%	4%		
	Southern Allegheny Plateau Northern Conifer	Blue spruce, eastern hemlock, eastern white pine, introduced larch, Norway spruce, red pine, scotch pine, white spruce	All	5,045	89	16	2.18	12%	75%	4%		
	Southern Allegheny Plateau Oak-Hickory	Black walnut, chestnut oak, black oak, scarlet oak, northern red oak, post oak, blackjack oak, red maple, oak, white oak, hickory	Low	5,304	95	25	0.79	3%	70%	4%		
			High	6,278	103	28	0.69	2%	70%	4%		
Southern Allegheny Plateau Upland Hardwoods	Aspen, black cherry, black locust, cherry, white ash, yellow poplar, elm, ash, hard maple, basswood, maple, beech, birch, red maple, sassafras, persimmon, silver maple, American elm, sugar maple, yellow birch, sweetgum, white oak, northern red oak	Low	4,177	80	19	0.81	4%	65%	4%			
Southern California Coast	Southern California Coast Oak Woodlands	California laurel, coast live oak, cottonwood, eucalyptus, western oak group	All	949	61	19	3.48	16%	70%	4%		
Southern California Mountains	Southern California Mixed Conifer	California mixed conifer, cercocarpus (mountain brush), juniper, limber pine, lodgepole pine, pinyon, ponderosa pine, red alder, western juniper, white fir	All	-	32	1	0.29	27%	70%	4%		
	Southern California Oak Woodlands	Blue oak, California black oak, coast live oak, evergreen oak, Oregon ash	All	2,853	64	18	4.45	22%	60%	4%		
	Southern Cascade High Elevation Conifer	Foxtail pine, bristlecone pine, lodgepole pine, pinyon, juniper, red fir, subalpine fir, western juniper, western white pine, white fir	All	9,516	90	20	2.99	14%	65%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Southern Cascades	Southern Cascade Mixed Conifer	Aspen, California laurel, California mixed conifer, Douglas fir, fir, spruce, mountain hemlock, giant chinkapin, grand fir, incense cedar, knobcone pine, mountain hemlock, Pacific madrone, ponderosa pine, Port Orford cedar, red alder, sugar pine, tanoak, western red cedar	Low	9,514	110	24	1.24	5%	65%	4%		
			High	15,526	134	35	1.88	5%	65%	4%		
	Southern Cascade Mixed Oak Woodland	Bigleaf maple, blue oak, California black oak, cercocarpus (mountain brush), cottonwood, willow, gray pine, Oregon ash, Oregon white oak, western oak	Low	2,248	65	13	1.61	11%	65%	4%		
			High	5,204	94	22	1.69	7%	65%	4%		
Southern Rockies Front Range	Front Range Aspen	Aspen	All	1,740	63	9	1.67	17%	90%	4%		
	Front Range High Elevation Conifer	Engelmann spruce, subalpine fir, foxtail pine, bristlecone pine, limber pine, lodgepole pine	All	5,627	109	15	2.02	12%	70%	4%		
	Front Range Mixed Conifer	Blue spruce, cottonwood, deciduous oak, Douglas fir, intermountain maple, juniper, pinyon, ponderosa pine, Rocky Mountain juniper	All	4,089	74	10	0.90	8%	60%	4%		
Southern Rocky Mountains	Southern Rockies Mixed Conifer	Cottonwood, deciduous oak, Douglas fir, ponderosa pine	All	2,655	81	10	0.91	9%	65%	4%		
	Southern Rockies Pinyon / Juniper Woodland	Juniper, pinyon, Rocky Mountain juniper	All	177	88	5	0.50	9%	85%	4%		
	Southern Rockies Spruce fir	Aspen, spruce, fir	All	6,219	123	16	1.90	11%	60%	4%		
Southwest High Plains	Southwest High Plains Juniper Mixed Woodland	Chestnut oak, black oak, scarlet oak, evergreen oak, juniper, post oak, blackjack oak, southern scrub oak, white oak, red oak, hickory	All	7	49	4	0.24	6%	65%	4%		
	Southwest High Plains Mesquite Woodland	Mesquite	All	-	25	2	0.12	5%	80%	4%		
	Southwest High Plains Riparian Hardwoods	Sassafras, persimmon, sugarberry, hackberry, elm, green ash, sweetbay, swamp tupelo, red maple, sycamore, pecan, American elm, willow	All	428	33	4	0.77	19%	65%	4%		
Southwest Plateau	Southwest Plateau Hardwoods	Deciduous oak, sassafras, persimmon, sugarberry, hackberry, elm, green ash, sweetbay, swamp tupelo, red maple, sycamore, pecan, American elm, willow	All	28	20	2	0.30	13%	65%	4%		
	Southwest Plateau Juniper Woodland	Evergreen oak, juniper, pinyon, post oak, blackjack oak	All	16	69	5	0.28	5%	70%	4%		
	Southwest Plateau Mesquite	Mesquite	All	-	26	3	0.16	6%	80%	4%		
	Southwest Plateau Scrub Oak	Southern scrub oak	All	-	49	7	0.42	6%	90%	4%		
Southwestern Desert	Southwest Desert Pinyon/Juniper Woodland	Mesquite, cercocarpus (mountain brush), deciduous oak, evergreen oak, juniper, pinyon, ponderosa pine, sugarberry, hackberry, elm, green ash, white fir, cottonwood	All	-	54	3	0.35	9%	60%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Southwestern Rocky Mountains	Southwestern Rockies Aspen	Aspen	All	5,309	108	17	2.31	12%	90%	4%		
	Southwestern Rockies Mixed Forest	Blue spruce, cottonwood, deciduous oak, Douglas fir, ponderosa pine	All	1,712	51	6	1.01	14%	60%	4%		
	Southwestern Rockies Pinyon / Juniper Woodland	Juniper, pinyon	All	104	88	1	0.89	82%	80%	4%		
	Southwestern Rockies Spruce-fir	Engelmann spruce, subalpine fir, lodgepole pine, white fir	All	14,886	173	26	4.59	16%	65%	4%		
St Lawrence & Mohawk Valley	St Lawrence & Mohawk Valley Aspen-Birch	Aspen, birch, gray birch, paper birch	All	1,653	68	11	1.92	16%	80%	4%		
	St Lawrence & Mohawk Valley Northeast Conifer	Balsam fir, black locust, bur oak, eastern hemlock, eastern red cedar, eastern white pine, northern red oak, white ash, northern white cedar, pine, red maple, oak, red pine, red spruce, balsam fir, scotch pine, white oak, red oak, hickory, white spruce	Low	2,440	81	13	2.15	15%	65%	4%		
			High	5,114	127	21	1.33	6%	65%	4%		
	St Lawrence & Mohawk Valley Northern Hardwood	Balsam poplar, black ash, American elm, red maple, black cherry, cherry, white ash, yellow poplar, cottonwood, willow, elm, ash, black locust, hard maple, basswood, maple, beech, birch, river birch, sycamore, silver maple, sugar maple, beech, yellow birch, sugarberry, hackberry, green ash, pecan, willow	High	4,173	111	23	1.19	5%	65%	4%		
Low			1,986	76	14	0.95	6%	65%	4%			
Subtropical Prairie Parkland Gulf & Oak Prairie	Subtropical Prairie Parkland Gulf & Oak Prairie Cypress & Swamp Hardwood	Sweetbay, swamp tupelo, red maple, sweetgum, nuttall oak, willow oak	All	3,031	78	17	1.60	9%	70%	4%		
	Subtropical Prairie Parkland Gulf & Oak Prairie Oak-Hickory	Hickory, white oak, red oak	All	2,161	64	12	2.50	18%	75%	4%		
	Subtropical Prairie Parkland Gulf & Oak Prairie Oak-Pine	Bur oak, eastern red cedar, loblolly pine, post oak, blackjack oak, shortleaf pine, southern scrub oak	High	4,107	83	16	0.92	5%	65%	4%		
			Low	717	61	10	0.54	5%	65%	4%		
	Subtropical Prairie Parkland Gulf & Oak Prairie Riverine Hardwood	Oak, gum, cypress, sugarberry, hackberry, elm, green ash, sycamore, pecan, American elm	Low	1,285	74	13	1.04	7%	65%	4%		
			High	1,513	69	13	1.55	11%	65%	4%		
	Subtropical Prairie Parkland Gulf & Oak Prairie Upland Hardwood	sassafras, persimmon, sweetgum, yellow poplar	Low	624	53	9	1.63	16%	75%	4%		
			High	2,049	57	11	1.24	10%	75%	4%		
Subtropical Prairie Parkland Gulf & Oak Prairie Mesquite-Juniper Woodlands	Juniper, mesquite	All	-	34	3	0.44	12%	70%	4%			

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
Utah Mountains	Utah Mountains Aspen	Aspen	All	3,071	86	11	1.45	12%	90%	4%		
	Utah Mountains Mixed Conifer	Blue spruce, Douglas fir, ponderosa pine	All	3,627	68	9	1.51	15%	80%	4%		
	Utah Mountains Oak Woodlands	Cottonwood, deciduous oak, intermountain maple	All	141	60	6	1.05	17%	75%	4%		
	Utah Mountains Pinyon / Juniper Woodland	Cercocarpus (mountain brush), juniper, pinyon, Rocky Mountain juniper	All	217	104	7	0.55	7%	75%	4%		
	Utah Mountains Spruce-fir	Engelmann spruce, subalpine fir, limber pine, white fir	All	6,270	108	14	4.27	27%	65%	4%		
Wasatch Range	Wasatch Aspen	Aspen	All	1,265	68	8	0.94	11%	90%	4%		
	Wasatch Douglas-fir	Blue spruce, Douglas fir	All	8,014	59	14	4.93	32%	75%	4%		
	Wasatch Oak Woodland	Cottonwood, deciduous oak, intermountain maple, sugarberry, hackberry, elm, green ash	All	112	60	6	0.52	8%	65%	4%		
	Wasatch Pinyon / Juniper Woodland	Cercocarpus (mountain brush), juniper, pinyon, Rocky Mountain juniper	All	142	101	6	0.67	10%	70%	4%		
	Wasatch Spruce / Fir	Engelmann spruce, subalpine fir, limber pine, lodgepole pine, white fir, whitebark pine	All	10,422	115	18	5.24	27%	65%	4%		
Western Allegheny Plateau	Western Allegheny Plateau Mixed Hardwood	Black ash, American elm, red maple, black cherry, cherry, white ash, yellow poplar, cottonwood, willow, elm, ash, black locust, hard maple, basswood, maple, beech, birch, red maple, river birch, sycamore, sassafras, persimmon, silver maple, American elm, sugar maple, beech, yellow birch, sugarberry, hackberry, green ash, sweetbay, swamp tupelo, pecan, American elm	High	5,465	110	26	1.12	4%	65%	4%		
			Low	3,326	78	16	1.30	7%	65%	4%		
	Western Allegheny Plateau Mixed Pine-Hardwood	Aspen, blue spruce, eastern hemlock, eastern red cedar, eastern white pine, northern red oak, white ash, gray birch, Norway spruce, pin cherry, red pine, scotch pine, white spruce	All	4,357	84	16	2.27	13%	60%	4%		
	Western Allegheny Plateau Oak-Hickory	Black locust, black walnut, chestnut oak, black oak, scarlet oak, northern red oak, post oak, blackjack oak, red maple, oak, white oak, red oak, hickory, yellow poplar, northern red oak	Low	3,958	99	22	2.39	10%	65%	4%		
High			6,300	115	30	1.66	5%	65%	4%			
Western Basin and Range	Western Basin and Range Pinyon/ Juniper Mixed Woodland	Aspen, California mixed conifer, cercocarpus (mountain brush), foxtail pine, bristlecone pine, Jeffrey pine, juniper, limber pine, lodgepole pine, pinyon, western juniper, white fir, whitebark pine	All	13	6	-	-	0%	70%	4%		
Western Great Plains	Western Great Plains Hardwoods	Cottonwood	All	2,467	68	10	2.01	17%	65%	4%		
	Western Great Plains Ponderosa Pine	Aspen, Douglas fir, limber pine, ponderosa pine, Rocky Mountain juniper	All	2,636	57	7	0.53	7%	65%	4%		

Supersection	Assessment Area	Associated Species	Site Class	Per Acre					Species Diversity Index	Fire Risk Rating	Rotation Age	Value of Harvest
				Board Feet	Basal Area (Square Feet per Acre)	Common Practice - Above Ground Carbon Mean (Metric Tonnes)	Carbon Standard Error (Metric Tonnes)	Carbon Standard Error Percent				
White Mountains	White Mountains Mixed Hardwoods	Balsam poplar, black ash, American elm, red maple, chestnut oak, black oak, scarlet oak, cottonwood, northern red oak, river birch, sycamore, sweetbay, swamp tupelo, white oak, red oak, hickory, willow	All	2,637	81	14	2.93	19%	60%	4%		
	White Mountains Northeast Spruce-Fir	Aspen, birch, balsam fir, black spruce, eastern hemlock, gray birch, northern white cedar, paper birch, red spruce, balsam fir, tamarack, white spruce	Low	1,729	89	11	0.53	4%	60%	4%		
			High	2,883	107	14	0.48	3%	60%	4%		
	White Mountains Northern Hardwood	Black cherry, cherry, white ash, yellow poplar, hard maple, basswood, maple, beech, birch, red maple, sugar maple, yellow birch	High	3,323	100	18	0.56	3%	70%	4%		
			Low	3,179	92	18	0.54	3%	70%	4%		
	White Mountains Northern Pine Forest	Eastern white pine, eastern hemlock, northern red oak, white ash, pine, red pine	All	7,822	133	23	2.75	11%	65%	4%		
Willamette Valley	Willamette Woodlands	Bigleaf maple, California black oak, cottonwood, willow, Douglas fir, fir, spruce, mountain hemlock, grand fir, Oregon ash, Oregon white oak, Pacific madrone, ponderosa pine, Port Orford cedar, red alder, scotch pine, western hemlock, western oak, western red cedar	All	13,669	101	28	2.37	8%	70%	4%		
Yellowstone / Bighorn	Yellowstone / Bighorn Douglas-fir / Spruce	Douglas fir, Engelmann spruce	All	2,931	70	8	1.91	21%	70%	4%		
	Yellowstone / Bighorn Lodgepole	Aspen, lodgepole pine	All	8,185	120	18	6.92	34%	85%	4%		
	Yellowstone / Bighorn Mixed Woodland	Cottonwood, juniper, Rocky Mountain juniper	All	2,057	62	6	1.72	28%	80%	4%		
	Yellowstone / Bighorn Subalpine Conifer	Limber pine, whitebark pine	All	4,022	68	9	4.69	47%	75%	4%		