SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Designtex

14 Industrial Way, Portland, ME, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold - Building Materials

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom¹ and private office¹, and single-family residence scenarios.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-IAQ-03697

Valid from: October 9, 2021 to October 8, 2022







Stanley Mathuram, PE, Executive Vice President SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

¹ Modeled as Wallcovering

Designtex

Certification: Registration # SCS-IAQ-03697 | Valid from: October 9, 2021 to October 8, 2022

Addendum Indoor Advantage™ Gold - Building Materials

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom¹ and private office¹, and single-family residence scenarios.

¹ Modeled as Wallcovering

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: Wallcoverings:

3035 Black Red Yellow 3036 Black White Yellow 3037 Black White Red 3038 Black White Gray 3121 Gouache A 3122 Gouache B

3123 Gouache C 3124 Gouache D

3966 Peel 3969 Crackle 3971 Inkwash 3972 Marbled



Designtex

Certification: Registration # SCS-IAQ-03697 | Valid from: October 9, 2021 to October 8, 2022

Addendum Indoor Advantage™ Gold - Building Materials

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom¹ and private office¹, and single-family residence scenarios.

¹ Modeled as Wallcovering

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: 5614 Space for all Species

5615 The Big Ladybug 5616 Birch Bark and Birds 6568 Birch Bark Stripe

6578 Faux Bois

6579 Faux Bois Houndstooth

6581 Bocce 6582 Bocce Block 6583 Bocce Plaid 6614 Spaces

6627 Henrik Wall 6639 Aksel Wall

6641 Shibori Stripe Wall



Designtex

Certification: Registration # SCS-IAQ-03697 | Valid from: October 9, 2021 to October 8, 2022

Addendum Indoor Advantage™ Gold - Building Materials

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom¹ and private office¹, and single-family residence scenarios.

¹ Modeled as Wallcovering

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: 6642 Shibori Flower Large

6647 Shibori Flower Medium 6649 Shibori Flower Small

6667 Wallflowers 6668 Leafery 6675 Zipper 6676 Zip Line 6677 Zip Code 6678 Burnish 6680 Aquatint 6681 Gradient 6682 City Grid 6692 Hester



Designtex

Certification: Registration # SCS-IAQ-03697 | Valid from: October 9, 2021 to October 8, 2022

Addendum Indoor Advantage™ Gold - Building Materials

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom¹ and private office¹, and single-family residence scenarios.

¹ Modeled as Wallcovering

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: 6693 Ludlow

6726 Paint Dot 6727 Color Bars 6730 Ikat Dot 6746 Air Wall 6747 Ikat Spot 6748 Orbit 6749 Resurfacing 6750 Fragments **BASELINE 3126** Beguiled By the Wild-Walls

BLINK 3127 BLUR 3128



Designtex

Certification: Registration # SCS-IAQ-03697 | Valid from: October 9, 2021 to October 8, 2022

Addendum Indoor Advantage™ Gold - Building Materials

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom¹ and private office¹, and single-family residence scenarios.

¹ Modeled as Wallcovering

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: DW09 - Vinyl Wallcovering Canvas Texture

DW10 - IMO Tested Vinyl Wallcovering

DW11 - DNA Type II Wallcovering

DW12 - Vinyl Wallcovering Smooth

DW13 - Plus UV2 Guardian Top Coat / WD

DW13 - Vinyl Wallcovering Textured

DW14 - Silver Vinyl Wallcovering

DW16 - Heavy Textured Vinyl Wallcovering

DW17 - Brushed Silver Wallcovering

DW18 - Textured Vinyl Wallcovering

DW19 - Vinyl Wallcovering

DW20 - Vinyl Wallcovering

DW21 - Vinyl Wallcovering



Designtex

Certification: Registration # SCS-IAQ-03697 | Valid from: October 9, 2021 to October 8, 2022

Addendum Indoor Advantage™ Gold - Building Materials

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January 2017) for the school classroom¹ and private office¹, and single-family residence scenarios.

¹ Modeled as Wallcovering

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: DW22 - Vinyl Wallcovering

DW23 - Vinyl Wallcovering DW24 - Vinyl Wallcovering DW25 - Vinyl Wallcovering

DW26 - Textured Pearl Wallcovering

Ink Stripe Rake Reveal

TEPHRA 3974

Unwind

Uv2 Guardian Top coat can be used with these products

