

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Lumber Liquidators Services, Inc.

3000 John Deere Rd, Toano, VA, United States

For the following product(s):

See Addendum

The product(s) meets all of the necessary qualifications to be certified for the following claim:

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ ; Between 0.5 – 5.0 mg/m³ ; Greater than/equal to 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-06137

Valid from: March 13, 2020 to May 31, 2020

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ISO/IEC 17065
Product Certification Body
#0821



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President
SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

Certification Addendum

Lumber Liquidators Services, Inc.

Certification: Registration # SCS-FS-06137 | Valid from: March 13, 2020 to May 31, 2020

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum
Conformance: **FloorScore®**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ ; Between 0.5 – 5.0 mg/m³ ; Greater than/equal to 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: **Luxury Vinyl Tile:**

CLX Coastal Riviera Linen 5mm w/pad, 10048776, RVP5CRL, CLX Colosseum Travertine 5mm w Pad, 10046643, RVP5CT, CLX Fantasy Gray Stone 5mm w/pad, 10048757, RVP5FGS, CLX Highlands Walnut 5mm w/pad, 10048727, RVP5HW, CLX Lake Geneva Oak 4mm w/pad, 10048704, RVP4LGO, CLX Meribel Elm 5mm w/pad, 10048747, RVP5ME, CLX Mont-Blanc Pine 5mm w/pad, 10048719, RVP5MBP, CLX Saint Florent Hickory 5mm w/pad, 10048723, RVP5SFH, CLX Saint Tropez Walnut 5mm w/pad, 10048738, RVP5STW, CLX Seminato Shale 5mm w/pad, 10048781, RVP5SS, CLX Sete Oak 5mm w/pad, 10048743, RVP5STO, CLX Soho Gray Linen 5mm w/pad, 10048831, RVP5SGL CLX Strasbourg Oak 5mm w/pad, 10048715, RVP5SO, CLX XD Buckingham Poplar 6mm w/pad, 10048770, RVP6BP, CLX XD Cannes Maple 6mm w/pad, 10048816,

Certification Addendum

Lumber Liquidators Services, Inc.

Certification: Registration # SCS-FS-06137 | Valid from: March 13, 2020 to May 31, 2020

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum
Conformance: **FloorScore®**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ ; Between 0.5 – 5.0 mg/m³ ; Greater than/equal to 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: RVP6CM, CLX XD Castle Hill Birch 6mm w/pad, 10048788, RVP6CHB, CLX XD Farmhouse Magnolia 6mm w/pad, 10048804, RVP6FM, CLX XD French Alps Spruce 6mm w/pad, 10048800, RVP6FAS, CLX XD Loire Valley Oak 6mm w/pad, 10048765, RVP6LVO, CLX XD Provence Oak 6mm w/pad, 10048820, RVP6PO, CLX XD Pyrenees Maple 6mm w/pad, 10048761, RVP6PM, CLX XD Saint Germain Oak 6mm w/pad, 10048796, RVP6SGO, CLX XD Seminato Mist 6mm w/pad, 10048812, RVP6SM, CLX XD Seminato Sterling 6mm w/pad, 10048808, RVP6SS, CLX XD Versailles Oak 6mm w/pad, 10048792, RVP6VO, CLX XD Victorian Chic Linen 6mm w/pad, 10048775, RVP6VCL